

IDFL-Test Report vom 06.12.2019

= 14% Entendaunen*



Test Report
Partie: 564 970252

IDFL # 19-299903

Paradies GmbH
Fri 6 Dec. 2019

Test Orders Summary

Test	Test Component	Result	Expected Value
Content EN 12131 2018	Down Clusters	85.3%	-
Species Down & Feathers IDFB Part 12 2013	Total Goose	86%	-
	Total Duck	14%	-
Fill Power - Steam Conditioning EN 12130-A 2018	Final Fill Power Height	162 mm/30g	-
Oxygen Number EN 1162 1996	Oxygen	1.6 mg/100g	-
Turbidity EN 1164 1998	Turbidity Glass Tube	1000+ mm	-

SN EN ISO/EC 17025:2005

¹ SAS Accredited

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europa@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

Approved By Matthew Lieber

www.idfl.com
Client 1416
CH
Sample 1 of 1

*Einem Gänsedaunenprodukt darf nach DIN-Norm EN 12934 maximal ein Anteil von 30% Ente beigemischt werden.

IDFL-Test Report vom 23.12.2019

(gleiche Charge wie Stiftung Warentest)

= 20% Entendaunen*



Test Report
970252 P. 567

IDFL # 19-300681

Paradies GmbH
Mon 23 Dec. 2019

Test Orders Summary			
Test	Test Component	Result	Expected Value
Content EN 12131 2018	Total Down	88.7%	
Species Down & Feathers IDFB Part 12 2013	Total Goose	80%	
	Total Duck	20%	
Fill Power - Steam Conditioning EN 12130-A 2018	Final Fill Power Height	174 mm/30g	
Oxygen Number EN 1162 1996	Oxygen	1.6 mg/100g	
Turbidity EN 1164 1998	Turbidity Glass Tube	1000 mm	

SN EN ISO/IEC 17025:2005

¹ SAS Accredited

NOTE: A test prepended with an asterisk (*) denotes that the test was performed externally.

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europe@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

Approved By Matthew Lieber

www.idfl.com
Client 1416
CH
Sample 1 of 1

*Einem Gänsedaunenprodukt darf nach DIN-Norm EN 12934 maximal ein Anteil von 30% Ente beigemischt werden.

IDFL-Test Report vom 17.01.2020

= 12% Entendaunen*



Test Report

P. 571 970252

IDFL # 20-302065

Paradies GmbH
Fri 17 Jan. 2020

Test Orders Summary

Test	Test Component	Result	Expected Value
Content EN 12131 2018	Total Down	87.7%	
Species Down & Feathers IDFB Part 12 2013	Total Goose	88%	
	Total Duck	12%	
Fill Power - Steam Conditioning EN 12130-A 2018	Final Fill Power Height	165 mm/30g	
Oxygen Number EN 1162 1996	Oxygen	1.6 mg/100g	
Turbidity EN 1164 1998	Turbidity Glass Tube	1000 mm	

SN EN ISO/IEC 17025:2005

¹ SAS Accredited

NOTE: A test prepended with an asterisk (*) denotes that the test was performed externally.

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europa@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

Approved By Matthew Lieber

www.idfl.com
Client 1416
CH
Sample 1 of 1

*Einem Gänsedaunenprodukt darf nach DIN-Norm EN 12934 maximal ein Anteil von 30% Ente beigemischt werden.

IDFL-Test Report vom 13.07.2020

= 25% Entendaunen*



Test Report

IDFL # 20-312222

Paradies GmbH
Mon 13 July 2020

Test Orders Summary

Test	Test Component	Result	Expected Value
Content EN 12131 2018	Total Down	88.6%	
Species Down & Feathers IDFB Part 12 2013	Total Goose	75%	
	Total Duck	25%	
Fill Power - Steam Conditioning EN 12130-A 2018	Final Fill Power Height	166 mm/30g	
Oxygen Number EN 1162 1996	Oxygen	1.6 mg/100g	
Turbidity EN 1164 1998	Turbidity Glass Tube	1000+ mm	

SN EN ISO/IEC 17025:2005

¹ SAS Accredited

NOTE: A test prepended with an asterisk (*) denotes that the test was performed externally.

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at www.idfl.com.

IDFL LABORATORY AND INSTITUTE

IDFL SALT LAKE
1455 South 1100 East
Salt Lake City, UT 84105
USA
+1 801 467 7611
info@idfl.com

IDFL EUROPE AG
Zürcherstrasse 282
CH-8500 Frauenfeld
Switzerland
+41 52 765 1574
europa@idfl.com

IDFL CHINA
Tonghui Mid-Road 688, Xiaoshan
Hangzhou Zhejiang 311200
China
+86 571 8273 6561
china@idfl.com

IDFL TAIPEI
2F., No. 163 Sec. 2, Wenhua Rd.
Banqiao District, New Taipei City
Taiwan
+886 2 2259 1178
taiwan@idfl.com

Approved By Matthew Lieber

www.idfl.com
Client 1416
CH
Sample 1 of 1

*Einem Gänsedaunenprodukt darf nach DIN-Norm EN 12934 maximal ein Anteil von 30% Ente beigemischt werden.